

	Hits	Search Text	DBs
1	9	database\$1 and table\$1 and (partition\$4 near5 (id\$1 or identifier\$1 or identification\$1)) and (anal\$6 with (quer\$4 or inquir\$4 or search\$4)) and catalog\$1 and @ad < "20030408"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1	("5625815").PN.	US-PGPUB; USPAT
3	3734	((sub\$1set\$1 or portion\$1 or part\$1) with catalog\$1) and @ad < "20030408"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	393	((database or table) with catalog\$1 with (sub\$1set\$1 or portion\$1 or part\$1)) and @ad < "20030408"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2	6 and (partition\$4 with schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	3389	(catalog\$1 near5 (sub\$1set\$1 or portion\$1 or part\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	283	6 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	0	9 and (partition\$4 with schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	2	9 and (partition\$4 same schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	180	(catalog\$1 near5 database\$1 near5 (sub\$1set\$1 or portion\$1 or part\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	12 and (partition\$4 same schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	18	12 and (partition\$4 and schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	1975	catalog near2 (portion\$1 or part\$1 or sub\$1set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	64	15 and database\$1 and partition\$4 and @ad < "20030408"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	7	16 and ((display\$4 or present\$4) with result\$1 with (user\$1 or client\$1 or customer\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB